




---

866.332.2403; Outside the US: 619.600.5630 8am-5pm Pacific Time, Monday-Friday

## Assembly Instructions for: **ANGEL'S RUSTIC WOOD BENCHES**



## CONTENT OF BOXES

Quantity	Description	Drawing
1	Seat	
1	Backrest	
2	Sides	
8	Carriage bolts 3 1/2" x 5/16", Washers and Nuts	


## ASSEMBLY INSTRUCTIONS

Thank you for purchasing Forever Redwood patio furniture. Forever Redwood is built by Old-Growth Again Restoration Forestry (OGA). OGA is dedicated to restoration forestry. Sales of patio furniture finance our restoration work in California redwood forestlands.


**Tools required:** ½-inch ratchet and a mallet or small hammer.

Unpack your bench and make sure you have all the parts. The parts that go together have the same numbers written next to the predrilled holes they attach to. Align the parts with the numbers as shown for ease of reference.

**Step 1:** Attach side to seat with 2 carriage bolts (3 ½" x 5/16), washers and nuts. Tap in the carriage bolts from the outside edge into the holes to attach the seat and side. Tap the bolts in all the way, then insert the washer and nut and tighten with a ½- inch ratchet. The bolts should tap into their holes. If you have to force a bolt, the piece is probably on the wrong side or is turned around. Do not over tighten or you'll crush the redwood and weaken the bench's structure. Repeat this step to attach the other side.



**Step 2:** Attach the backrest to sides with two carriage bolts (3 ½" x 5/16), washers and nuts per side. Match the numbers written next to the holes on each piece. Tap the carriage bolt from the outside in. Tap the bolt in all the way, then add washers, nuts and tighten with ½-inch ratchet. Do not over-tighten.



Thank you. If you have any questions, please call or email us.