


866.332.2403 (Toll Free); 8am-5pm Pacific Time, Monday-Friday

Assembly instructions for: **FOREVER FOOT BRIDGES**



CONTENT OF BOXES

Quantity	Description	Drawing
1	Deck	
2	Railings	
Quantity depends of Bridge length	Carriage bolts 5" x 5/16", Washers and Nuts	


ASSEMBLY INSTRUCTIONS

Thank you for purchasing Forever Redwood patio furniture. Forever Redwood is built by Old-Growth Again Restoration Forestry (OGA). OGA is dedicated to restoration forestry. Sales of patio furniture finance our restoration work in California redwood forestlands.


Tools required: ½-inch ratchet and a mallet or small hammer.

Your bridge was partially disassembled into 3 parts and hardware (1 deck, 4 Railings, 20 carriage bolts, washers and nuts). Unpack your bridge and make sure you have all the parts.

Step 1: Place the deck in the floor. You'll notice that railing has a number that corresponds to each side of the deck. Match the railing number to the deck side and attach with two carriage bolts per post as shown below. Align the predrilled holes; lightly tap the 2 bolts in. The bolts should tap into their holes. If you have to force a bolt, the leg is probably not oriented properly, is in the wrong hole or it is turned around. Make sure the bolts are tapped all the way into the wood, then add washers and nuts and tighten with a ½-inch ratchet. Do not over tighten or you'll crush the redwood and weaken the bridge's structure.



Step 2: Repeat step 1 for the other side.



Thank you. If you have any questions, please call or email us.