



---

866.332.2403; Outside the US: 619.600.5630 7am-7pm Pacific Time, Monday-Saturday

## Assembly Instructions for: **WOOD PATIO BENCH**



## CONTENT OF BOXES

Quantity	Description	Drawing
1	Seat	
4	Legs	
8	<b>Bolts 3 1/2" x 5/16", Washers and Nuts</b>	



## ASSEMBLY INSTRUCTIONS

Thank you for purchasing Forever Redwood patio furniture. Forever Redwood is built by Old-Growth Again Restoration Forestry (OGA). OGA is dedicated to restoration forestry. Sales of patio furniture finance our restoration work in California redwood forestlands.

**Tools required:** ½-inch ratchet, a square head screwdriver and a mallet or small hammer.

Your furniture was fully assembled in the shop prior to being disassembled for shipping. All the parts fit. The parts that go together have the same numbers written next to the predrilled holes they attach to. Please take the time to align the parts with the numbers.

**Step 1:** Attach legs to bench seat with 2 bolts (3 ½" x 5/16"), washers & nuts each one. Bench seat upside down, you will see that the boards nearest the bench edge have two pre-drilled holes. Line up these holes with the holes on the top of the bench legs. Match up the numbers written on each piece. Align the predrilled holes, tap the bolt all the way in to set it into the wood and then add a washer and tighten the nut. If the bolts do not line up, just move the leg over to the other side of the bench seat. The bolts should tap into their hole. If you are using force, the leg probably belongs on the other end of the bench seat. Do not over tighten the bolts or you'll crush through the redwood and weaken the bench.



Thank you. If you have any questions, please call or email us.